271 CiTi™ 10 mm backed







- This 10 mm thick backed version ensures minimum movement and keeps debris away from the floor in indoor areas. Backing is a non-porous vinyl layer which is cured into the upper web for maximum non-delaminating durability.
- Vinyl loops scrape dirt and moisture off shoes, allowing it to fall in to the mat and not be tracked in to the building (does not absorb water).
- Durable flexible material is ultra violet resistant, performs well in different climates and adapts to any surface.
- Thick coils (strand diameter 0.35 mm) of extruded from 100% PVC.
- Suitable for light to medium traffic conditions.
- For placement interior facility entrances or recessed wells.
- Slip resistance tested R11 according to DIN EN 130501-1 and BRG181.
- Vacuum clean or wash off with hose.
- Free of toxic DOP and DMF.

271 CiTi 10 mm backed

PRODUCT SPECIFICATIONS			
Designation		Dust Control Matting	
Description		Non-absorbent / scrape vinyl mat	
Material			
	Top	Fine coils (strand diameter 0,35 mm) of extruded from 100% PVC	
	Backing	Vinyl	
Process		Extrusion	
Category		Outdoor Non-absorbent - Spaghetti	
Recommended use		In / outdoor - light to medium foot traffic areas	
Colours		Gold, Green, Charcoal, Brown, Grey, Blue	
Weight		4.6 kg/m²	
Thickness		10 mm	
Standard sizes		120 cm x 18 m 120 cm x 6 m	
Custom sizes		120 cm per linear meter	
Special remarks		UV resistant	
PRODUCT TESTING			
Tests		**Norms**	**Results**
Abrasion resistance		ASTM D3884	
Colour fastness to light		AATCC 16E	
Accelerated wear test by sim floor machine		U.S.	
Accelerated soiling		U.S.	
Anti-slip		DIN51130 BGR181	R11
Water retention		U.S	
Sanitary epidemiologic test		GN 2.1.6.1338-03 MCL GN 2.1.6.2309-07 OBUV	Pass - Certificate no. 77.01.16.229.P.044983.07.
FIRE TESTING			
	Surface Flammability	ASTM D2859	
	Classification of the reaction to fire performance	DIN EN 13501-1	Bfl - S1
Sustainability		• Recyclable material • REACH compliant (Registration, Evaluation, Authorization and restrictions of Chemicals) • Contributes to cleaner environment by reducing need of cleaning chemicals	

NOTRAX® FLOOR MATTING

www.notrax.eu